

Maritime Radio, Safety & Tracking Price Book

Manufacturer's Suggested Retail Price (MSRP)

USD Version 2020.12

| | |
|--|----|
| SAILOR 6210 VHF..... | 2 |
| SAILOR 6222 VHF DSC Class A..... | 4 |
| SAILOR 6248 VHF..... | 6 |
| SAILOR 6249 VHF Survival Craft..... | 8 |
| SAILOR SP3500 Series..... | 10 |
| SAILOR SP3500 ATEX Radios..... | 12 |
| SAILOR 6310 MF/HF 150W..... | 17 |
| SAILOR 6311 MF/HF 150W FCC..... | 20 |
| SAILOR 6320 MF/HF 250W..... | 23 |
| SAILOR 6350 MF/HF 500W..... | 26 |
| SAILOR 6110 mini-C GMDSS System..... | 29 |
| SAILOR 6120 mini-C SSA System..... | 32 |
| SAILOR 6130 mini-C LRIT System..... | 34 |
| SAILOR 6140 mini-C Maritime System..... | 36 |
| SAILOR 6150 mini-C Non-SOLAS Distress System..... | 38 |
| LocPoint..... | 40 |
| SAILOR 6000 Consoles..... | 41 |
| SAILOR 6000 GMDSS A1..... | 43 |
| SAILOR 6000 GMDSS A2 150W + extra Radio Telex - Incl. Console..... | 45 |
| SAILOR 6000 GMDSS A2 150W - Incl. Console..... | 47 |
| SAILOR 6000 GMDSS A2 250W - Incl. Console..... | 49 |
| SAILOR 6000 GMDSS A2 500W - Incl. Console..... | 51 |
| SAILOR 6000 GMDSS A3 150W mini-C/mini-C - Incl. Console..... | 53 |
| SAILOR 6000 GMDSS A3 150W Tlx/mini-C - Incl. Console..... | 56 |
| SAILOR 6000 GMDSS A3 250W mini-C/mini-C - Incl. Console..... | 59 |
| SAILOR 6000 GMDSS A3 250W Tlx/mini-C - Incl. Console..... | 62 |
| SAILOR 6000 GMDSS A3 500W mini-C/mini-C - Incl. Console..... | 65 |
| SAILOR 6000 GMDSS A3 500W Tlx/mini-C - Incl. Console..... | 68 |
| SAILOR 6000 GMDSS A4 150W Tlx/Tlx/mini-C - Incl. Console..... | 71 |
| SAILOR 6000 GMDSS A4 250W Tlx/Tlx/mini-C - Incl. Console..... | 74 |
| SAILOR 6000 GMDSS A4 500W Tlx/Tlx/mini-C - Incl. Console..... | 77 |
| SAILOR 6280 AIS System..... | 80 |
| SAILOR 6391 Navtex System..... | 82 |
| SAILOR 6560 GNSS System..... | 83 |
| SAILOR 6561 GNSS Basic..... | 84 |
| SAILOR 6570 DGNS System..... | 85 |
| SAILOR 6571 DGNS Basic..... | 86 |
| SAILOR 4065 EPIRB - Family..... | 87 |
| SAILOR 5052 AIS SART..... | 88 |
| Antennas..... | 89 |
| Keyboards & Printers..... | 90 |
| Power Supplies, Chargers, Converters & Batteries..... | 91 |

SAILOR 6210 VHF

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|---------------|
| Main item | | | | |
| 406210A-00500 | SAILOR 6210 VHF Including: - Transceiver Unit (SAILOR 6210 VHF) - SAILOR 6202 Hand Microphone with spiral cable - User and installation manual - Installation guide - Mounting bracket with two wheel knobs - Connectors for cables - Power cable, fittings and fuses - Sun Screen (click on) for front plate protection - Kit for flush mount installation, including gasket | 1 | 1 | 995.00 |
| Basic component cost | | | | 995.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| 406090A-00500 | SAILOR 6090 Power Converter, 24V DC to 12V DC | 1 | 1 | 215.00 |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 1 | 115.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 1 | 135.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 2 | 92.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| Additional cost | | | | 975.00 |
| Handsets & Control Units | | | | |
| 406201A-00500 | SAILOR 6201 Handset Incl Cradle | 1 | | 155.00 |
| 406202A-00500 | SAILOR 6202 Hand Microphone | 1 | | 155.00 |
| 406203A-00500 | SAILOR 6203 Handset Waterproof IPx6 Including cradle | 1 | | 220.00 |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |
| Miscellaneous | | | | |
| 406200-958 | Service cable, SAILOR program 6200 | 1 | | 90.00 |
| 406270A | SAILOR 6270 Loudspeaker 8 Ohm, 100x100mm, black Including U-bracket | 1 | | 130.00 |
| Installation Accessories | | | | |
| 406208A | SAILOR 6208 Control Unit Connection Box Including 5 meter cable (406208-941) For installation of additional SAILOR 6301/6302 and SAILOR 6204/6205 | 1 | | 155.00 |
| 406207A | SAILOR 6207 Accessory Connection Box Incl 5m Cable (406209-941) For installation of accessories and external equipment for SAILOR 6200 VHF | 1 | | 155.00 |
| 406209-940 | Connection Cable for bulkhead mount, 5 meter, 1x10 Pin male SAILOR 6200 VHF Series | 1 | | 42.00 |
| 406209-941 | Connection Cable Option, 5m, 1x10 Pin female SAILOR 6200 Series | 1 | | 42.00 |

SAILOR 6210 VHF

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------------|--|--------------------|--------------------|------------|
| Extended Warranties | | | | |
| 662021 | Premium warranty coverage add-on, category 1 <input type="checkbox"/> SAILOR 62xx VHF; SAILOR 6130/6140 mini-C <input type="checkbox"/> | 1 | | 135.00 |

Extended Warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6222 VHF DSC Class A

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|-----------------------------|-----------------|
| Main item | | | | |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 1 | 2,115.00 |
| | | | Basic component cost | 2,115.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 2 | 230.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 2 | 270.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 2 | 92.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| | | | Additional cost | 1,010.00 |
| Handsets & Control Units | | | | |
| 406201A-00500 | SAILOR 6201 Handset Incl Cradle | 1 | | 155.00 |
| 406202A-00500 | SAILOR 6202 Hand Microphone | 1 | | 155.00 |
| 406203A-00500 | SAILOR 6203 Handset Waterproof IPx6 Including cradle | 1 | | 220.00 |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |
| Miscellaneous | | | | |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | | 430.00 |
| 406270A | SAILOR 6270 Loudspeaker 8 Ohm, 100x100mm, black Including U-bracket | 1 | | 130.00 |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | | 395.00 |

SAILOR 6222 VHF DSC Class A

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|---------------------------------|---|--------------------|--------------------|------------|
| Installation Accessories | | | | |
| 406207A | SAILOR 6207 Accessory Connection Box Incl 5m Cable (406209-941) For installation of accessories and external equipment for SAILOR 6200 VHF | 1 | | 155.00 |
| 406208A | SAILOR 6208 Control Unit Connection Box Including 5 meter cable (406208-941) For installation of additional SAILOR 6301/6302 and SAILOR 6204/6205 | 1 | | 155.00 |
| 406209-940 | Connection Cable for bulkhead mount, 5 meter, 1x10 Pin male SAILOR 6200 VHF Series | 1 | | 42.00 |
| 406209-941 | Connection Cable Option, 5m, 1x10 Pin female SAILOR 6200 Series | 1 | | 42.00 |
| 406204-940 | 5m Extension cable with LTW plugs in both ends. One plug is for bulk mount. 12 pole LTW cable for CAN with screen | 1 | | 80.00 |
| 406209-941 | Connection Cable Option, 5m, 1x10 Pin female SAILOR 6200 Series | 1 | | 42.00 |
| Extended Warranties | | | | |
| 662021 | Premium warranty coverage add-on, category 1 <input type="checkbox"/> SAILOR 62xx VHF; SAILOR 6130/6140 mini-C <input type="checkbox"/> | 1 | | 135.00 |

Extended Warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6248 VHF

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406248A-00500 | SAILOR 6248 VHF Including: - Transceiver Unit VHF - SAILOR 6201 Handset with cradle - U-bracket - Flush mounting kit - Power Cable - SAILOR 6090 Power Converter, 24V DC to 12V DC - User manual | 1 | 1 | 1,450.00 |
| Basic component cost | | | | 1,450.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 1 | 115.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 1 | 135.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 2 | 92.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| Additional cost | | | | 760.00 |
| Handsets & Control Units | | | | |
| 406201A-00500 | SAILOR 6201 Handset Incl Cradle | 1 | | 155.00 |
| 406202A-00500 | SAILOR 6202 Hand Microphone | 1 | | 155.00 |
| 406203A-00500 | SAILOR 6203 Handset Waterproof IPx6 Including cradle | 1 | | 220.00 |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |
| Miscellaneous | | | | |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | | 430.00 |
| 406270A | SAILOR 6270 Loudspeaker 8 Ohm, 100x100mm, black Including U-bracket | 1 | | 130.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | | 395.00 |

SAILOR 6248 VHF

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|---------------------------------|---|--------------------|--------------------|------------|
| Installation Accessories | | | | |
| 406207A | SAILOR 6207 Accessory Connection Box Incl 5m Cable (406209-941) For installation of accessories and external equipment for SAILOR 6200 VHF | 1 | | 155.00 |
| 406208A | SAILOR 6208 Control Unit Connection Box Including 5 meter cable (406208-941) For installation of additional SAILOR 6301/6302 and SAILOR 6204/6205 | 1 | | 155.00 |
| 406209-940 | Connection Cable for bulkhead mount, 5 meter, 1x10 Pin male SAILOR 6200 VHF Series | 1 | | 42.00 |
| 406209-941 | Connection Cable Option, 5m, 1x10 Pin female SAILOR 6200 Series | 1 | | 42.00 |
| 406208-941 | Connection Cable (5m) with 12-pin female connector | 1 | | 47.00 |
| 406204-940 | 5m Extension cable with LTW plugs in both ends. One plug is for bulk mount. 12 pole LTW cable for CAN with screen | 1 | | 80.00 |
| Extended Warranties | | | | |
| 662021 | Premium warranty coverage add-on, category 1 <input type="checkbox"/> SAILOR 62xx VHF; SAILOR 6130/6140 mini-C <input type="checkbox"/> | 1 | | 135.00 |

Extended Warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6249 VHF Survival Craft

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406249A-00500 | SAILOR 6249 VHF Survival Craft Including: - Transceiver Unit VHF - SAILOR 6202 Hand Microphone - U-bracket - Flush mounting kit - Power Cable - SAILOR 6090A Power Converter, 24V to 12V DC - User manual | 1 | 1 | 1,995.00 |
| Basic component cost | | | | 1,995.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 1 | 115.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 1 | 135.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 2 | 92.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| Additional cost | | | | 760.00 |
| Handsets & Control Units | | | | |
| 406201A-00500 | SAILOR 6201 Handset Incl Cradle | 1 | | 155.00 |
| 406202A-00500 | SAILOR 6202 Hand Microphone | 1 | | 155.00 |
| 406203A-00500 | SAILOR 6203 Handset Waterproof IPx6 Including cradle | 1 | | 220.00 |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |
| Miscellaneous | | | | |
| 406270A | SAILOR 6270 Loudspeaker 8 Ohm, 100x100mm, black Including U-bracket | 1 | | 130.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | | 430.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | | 395.00 |

SAILOR 6249 VHF Survival Craft

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|---------------------------------|---|--------------------|--------------------|------------|
| Installation Accessories | | | | |
| 406207A | SAILOR 6207 Accessory Connection Box Incl 5m Cable (406209-941) For installation of accessories and external equipment for SAILOR 6200 VHF | 1 | | 155.00 |
| 406208A | SAILOR 6208 Control Unit Connection Box Including 5 meter cable (406208-941) For installation of additional SAILOR 6301/6302 and SAILOR 6204/6205 | 1 | | 155.00 |
| 406209-940 | Connection Cable for bulkhead mount, 5 meter, 1x10 Pin male SAILOR 6200 VHF Series | 1 | | 42.00 |
| 406209-941 | Connection Cable Option, 5m, 1x10 Pin female SAILOR 6200 Series | 1 | | 42.00 |
| 406208-941 | Connection Cable (5m) with 12-pin female connector | 1 | | 47.00 |
| 406204-940 | 5m Extension cable with LTW plugs in both ends. One plug is for bulk mount. 12 pole LTW cable for CAN with screen | 1 | | 80.00 |
| Extended Warranties | | | | |
| 662021 | Premium warranty coverage add-on, category 1 <input type="checkbox"/> SAILOR 62xx VHF; SAILOR 6130/6140 mini-C <input type="checkbox"/> | 1 | | 135.00 |

Extended Warranty


Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR SP3500 Series

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 403510A | SAILOR SP3510 Portable VHF Including: - Transceiver - Belt Clip - Lanyard - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 1 | 345.00 |
| 403520A | SAILOR SP3520 Portable VHF GMDSS Including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Operators manual | 1 | 1 | 650.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 1 | 775.00 |
| 403550A | SAILOR SP3550 Portable UHF Including: - Transceiver - Belt Clip - Lanyard - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 1 | 465.00 |
| Accessories | | | | |
| 403500-958 | Service cable SP3500 series | 1 | | 47.00 |
| 403500-202 | Soft Carrying case w. shoulder strap compatible for SP3510, SP3515, SP3520 and SP3550 | 1 | | 90.00 |
| 403500-207 | Leather Carrying Case w. shoulder strap for the SAILOR SP35xx Portable Series (Also ATEX approved for SAILOR SP3530 Portable VHF ATEX, SAILOR SP3540 Portable VHF ATEX GMDSS and SAILOR SP3560 Portable UHF ATEX) | 1 | | 90.00 |

SAILOR SP3500 Series

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|---|--------------------|--------------------|------------|
| Batteries & Chargers | | | | |
| 403509A | Dual Charger kit - For charging battery on SP3500 and extra battery: - Li-ion rechargeable battery (403502A) - Dual Charger - AC/DC converter/adaptor - DC connector cables | 1 | | 305.00 |
| 403506A | Single Charger Kit for SP3500 series: - Li-ion rechargeable battery (403502A) - Charger - AC/DC converter/adaptor - DC connector cables | 1 | | 240.00 |
| Handsets & Control Units | | | | |
| 403595A-00500 | SAILOR 3595 Hand Microphone ATEX - Hand Microphone for SAILOR SP3500 Portable Series - Connector for Peltor and SAVOX accessories - ATEX approved together with SAILOR SP3530, SP3540 and SP3560 | 1 | | 280.00 |
| Accessories SAVOX for SP3500 | | | | |
| 403500-950 | SAVOX C-C500 Remote Speaker Microphone for SAILOR SP3500 - Speaker mic built in - interface for SAVOX headsets | 1 | | 460.00 |
| 403500-003 | Noise-com SAVOX NC-400 - Boom microphone - Fits all regular ear protectors - Adapts to SAILOR and SAVOX PTT units | 1 | | 300.00 |
| 403500-004 | Helmet Unit SAVOX HC-E - One ear loudspeaker w/ microphone - Especially suitable for fire and rescue - Adapts to SAILOR and SAVOX PTT units | 1 | | 200.00 |
| 403500-005 | Helmet Unit SAVOX HC-1 - One ear loudspeaker - Bone-conductive, dirt protected microphone - Especially suitable for fire and rescue - Adapts to SAILOR and SAVOX PTT units | 1 | | 260.00 |
| 403900-006 | SAVOX TC-1 Throat Mic/Headset - Throat Microphone - Speaker - Quick release connector - Adapts to SAVOX C-C440 & C-C500 com-control units | 1 | | 325.00 |
| 403900-953 | SAVOX, C-C500/C-C440AV adaptor cable for PELTOR headset, ATEX - To be added when using PELTOR headset on SAVOX PTT | 1 | | 125.00 |
| Accessories Peltor for SP3500 | | | | |
| 403500-951 | PELTOR FL5061 PELTOR Push-To-Talk unit for PELTOR headsets - for SAILOR SP3500 | 1 | | 510.00 |
| 403500-006 | PELTOR MT7H79F-50 Headset - ATEX - Foldable/Over the head - High-attenuating shells - Boom microphone - Adapts to SAILOR and PELTOR PTT units - ATEX class EEX ib IIC T4 | 1 | | 510.00 |



SAILOR SP3500 ATEX Radios

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|---|--------------------|--------------------|------------|
| Main item | | | | |
| 403530A | SAILOR SP3530 Portable VHF ATEX Including: - Transceiver - Belt Clip - Lanyard - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual Intrinsically Safe, II 2G Ex ib II C T 4 | 1 | 1 | 850.00 |
| 403540A | SAILOR SP3540 Portable VHF ATEX GMDSS Including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual Intrinsically Safe, II 2G Ex ib II C T 4 | 1 | 1 | 1,450.00 |
| 403560A | SAILOR SP3560 Portable ATEX UHF Including: - Transceiver - Belt Clip - Lanyard - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual - Intrinsically Safe, II 2G Ex ib II C T 4 | 1 | 1 | 875.00 |
| 403965A-00500 | SAILOR 3965 UHF Fire Fighter - Transceiver - UHF antenna - Li-ion rechargeable battery - Belt clip - Lanyard - Single Unit charger - AC/DC converter/adaptor for charger - DC connection for charger - Operators manual Intrinsically safe: II 2G Ex ib IIB T4 | 1 | 1 | 875.00 |
| 403965C-00501 | SAILOR 3965 UHF Fire Fighter Radio, ATEX, Wheelmark Complete with: - 1 x Transceiver - 1 x UHF antenna - 1 x Li-ion rechargeable battery - 1 x Primary Battery Lithium-iron (non re-chargeable) - 1 x Belt clip - 1 x Lanyard - 1 x Single Unit charger - 1 x AC/DC converter/adaptor for charger - 1 x DC connection for charger - 1 x Operators manual Intrinsically safe: II 2G Ex ib IIB T4 | 1 | 1 | 1,150.00 |

SAILOR SP3500 ATEX Radios

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|--|--------------------|--------------------|------------|
| Accessories | | | | |
| 403500-958 | Service cable SP3500 series | 1 | | 47.00 |
| 403500-207 | Leather Carrying Case w. shoulder strap for the SAILOR SP35xx Portable Series (Also ATEX approved for SAILOR SP3530 Portable VHF ATEX, SAILOR SP3540 Portable VHF ATEX GMDSS and SAILOR SP3560 Portable UHF ATEX) | 1 | | 90.00 |
| Batteries & Chargers | | | | |
| 403536A | ATEX Single Charger Kit for SP3500 ATEX: - Li-Ion rechargeable battery - Charger - AC/DC converter - DC connection | 1 | | 290.00 |
| 403538A | ATEX Dual Charger Kit for SP3500 ATEX: - Li-Ion rechargeable battery - Dual Charger - AC/DC converter - DC connection | 1 | | 370.00 |
| Handsets & Control Units | | | | |
| 403595A-00500 | SAILOR 3595 Hand Microphone ATEX - Hand Microphone for SAILOR SP3500 Portable Series - Connector for Peltor and SAVOX accessories - ATEX approved together with SAILOR SP3530, SP3540 and SP3560 | 1 | | 280.00 |
| Accessories SAVOX for SP3500 | | | | |
| 403500-004 | Helmet Unit SAVOX HC-E - One ear loudspeaker w/ microphone - Especially suitable for fire and rescue - Adapts to SAILOR and SAVOX PTT units | 1 | | 200.00 |
| 403500-005 | Helmet Unit SAVOX HC-1 - One ear loudspeaker - Bone-conductive, dirt protected microphone - Especially suitable for fire and rescue - Adapts to SAILOR and SAVOX PTT units | 1 | | 260.00 |
| 403900-006 | SAVOX TC-1 Throat Mic/Headset - Throat Microphone - Speaker - Quick release connector - Adapts to SAVOX C-C440 & C-C500 com-control units | 1 | | 325.00 |
| 403500-944 | SAVOX C-C500, ATEX Remote Speaker Micophone - Combined speaker & microphone, coiled cable - Interface for SAVOX headsets | 1 | | 460.00 |
| 403900-942 | SAVOX C-C440AV, ATEX PTT for SAVOX Headset - Large Push-To-Talk button - Interface for SAVOX headsets - Especially suitable for fire and rescue - For use with SAILOR ATEX radios | 1 | | 380.00 |
| 403900-953 | SAVOX, C-C500/C-C440AV adaptor cable for PELTOR headset, ATEX - To be added when using PELTOR headset on SAVOX PTT | 1 | | 125.00 |
| Accessories Peltor for SP3500 | | | | |
| 403900-952 | PELTOR FL5261 PTT unit for PELTOR headset, ATEX - for SP35xx ATEX / SAILOR 3965 - ATEX class II 2G EEX ib IIC T4 | 1 | | 510.00 |
| 403500-006 | PELTOR MT7H79F-50 Headset - ATEX - Foldable/Over the head - High-attenuating shells - Boom microphone - Adapts to SAILOR and PELTOR PTT units - ATEX class EEX ib IIC T4 | 1 | | 510.00 |

SAILOR SP3500 ATEX Radios

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|-----------------|--------------------|---------------------------|---------------------------|-------------------|
|-----------------|--------------------|---------------------------|---------------------------|-------------------|

SAILOR SP3560 UHF ATEX complies to the NEW SOLAS Fire Fighter Regulations

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------|-------------|--------------------|--------------------|------------|
|----------|-------------|--------------------|--------------------|------------|

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------|-------------|--------------------|--------------------|------------|
|----------|-------------|--------------------|--------------------|------------|

SAILOR 6310 MF/HF 150W

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406310B-00500 | SAILOR 6310 MF/HF 150W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6365 MF/HF 150W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 1 | 7,825.00 |
| Basic component cost | | | | 7,825.00 |
| Subcomponent (Required for full system) | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 2 | 1,430.00 |
| 406080A-001 | Tray for wall mounting of SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 1 | 120.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 2 | 34.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 1 | 52.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-958 | Multi cable, screened, 6x2x0.5 mm2,6 twisted pairs - per meter | 1 | 1 | 43.00 |
| Additional cost | | | | 2,917.00 |
| Accessories | | | | |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | | 285.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | | 3,995.00 |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | | 995.00 |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406301A-00500 | SAILOR 6301 Control Unit DSC Class A NOTE: When ordered stand alone - this is without SAILOR 6201 Handset with cradle | 1 | | 1,025.00 |
| 406201A-00500 | SAILOR 6201 Handset Incl Cradle | 1 | | 155.00 |
| 406202A-00500 | SAILOR 6202 Hand Microphone | 1 | | 155.00 |
| 406203A-00500 | SAILOR 6203 Handset Waterproof IPX6 Including cradle | 1 | | 220.00 |

SAILOR 6310 MF/HF 150W

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|---|--------------------|--------------------|------------|
| Miscellaneous | | | | |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | | 430.00 |
| 406270A | SAILOR 6270 Loudspeaker 8 Ohm, 100x100mm, black Including U-bracket | 1 | | 130.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 406080A-001 | Tray for wall mounting of SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 120.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | | 1,495.00 |
| Installation Accessories | | | | |
| 406383A-921 | Mounting Plate for ATU mounting kit | 1 | | 145.00 |
| 406383A-920 | Mounting plate and fittings for mast for ATU mounting kit | 1 | | 320.00 |
| 406208A | SAILOR 6208 Control Unit Connection Box Including 5 meter cable (406208-941) For installation of additional SAILOR 6301/6302 and SAILOR 6204/6205 | 1 | | 155.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | | 145.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | | 135.00 |
| 406300-960 | MFHF Feeder WIREKIT02 Incl.: - 1 pcs. Tube Clamp 40mm - 1 pcs. Shackles, 5/8" in - 8m Feeder wire cable - 1 pcs. Isolator wire, 9kN, 100kV - 1 pcs. Cable clamp 35-50mm2 - 1 pcs. Cable clamp 16-25mm2 - 2 pcs. Wire clamp, 6mm - 2 pcs. Thimble 6mm - 2 pcs. Shackles, 1in | 1 | | 175.00 |
| Options | | | | |
| 406300-001 | SAILOR 6300 MF/HF-Radio Telex Option Code Incl Cable | 1 | | 1,025.00 |
| 406300-006 | Option key for enabling D6 (6 channel watch receiver) in SAILOR 6300 MF/HF 150W/250W | 1 | | 285.00 |

SAILOR 6310 MF/HF 150W

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------------|--|--------------------|--------------------|------------|
| Extended Warranties | | | | |
| 662250-012 | Warr. 3y; 1/250FB/MF/HF/6110/4300 Parts□ SAILOR 150/250 FleetBroadband; SAILOR Fleet One;□ SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C□ GMDSS system; Sea Tel C18/ST24/Arbitrator□ | 1 | | 530.00 |
| 662250-024 | Warr. 4y; 1/250FB/MF/HF/6110/4300 Parts□ SAILOR 150/250 FleetBroadband; SAILOR Fleet One;□ SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C□ GMDSS system; Sea Tel C18/ST24/Arbitrator□ | 1 | | 1,060.00 |
| 662250-036 | Warr. 5y; 1/250FB/MF/HF/6110/4300 Parts□ SAILOR 150/250 FleetBroadband; SAILOR Fleet One;□ SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C□ GMDSS system; Sea Tel C18/ST24/Arbitrator□ | 1 | | 1,590.00 |
| 662250-112 | Warr. 3y; 1/250FB/MF/HF/6110/4300 Parts&Labor□ SAILOR 150/250 FleetBroadband; SAILOR Fleet□ One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110□ mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator□ | 1 | | 780.00 |
| 662250-124 | Warr. 4y; 1/250FB/MF/HF/6110/4300 Parts&Labor□ SAILOR 150/250 FleetBroadband; SAILOR Fleet□ One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110□ mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator□ | 1 | | 1,560.00 |
| 662250-136 | Warr. 5y; 1/250FB/MF/HF/6110/4300 Parts&Labor□ SAILOR 150/250 FleetBroadband; SAILOR Fleet□ One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110□ mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator□ | 1 | | 2,340.00 |
| 662023 | Premium warranty coverage add-on, category 3□ SAILOR 6110 mini-C GMDSS; SAILOR 500 FB; SAILOR VSAT/GX/KA; SAILOR 63xx MF/HF□ | 1 | | 250.00 |

Extended warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6311 MF/HF 150W FCC

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406311B-00500 | SAILOR 6311 MF/HF 150W DSC Class A - FCC (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6366 MF/HF 150W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 1 | 8,975.00 |
| Basic component cost | | | | 8,975.00 |
| Subcomponent (Required for full system) | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 2 | 1,430.00 |
| 406080A-001 | Tray for wall mounting of SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 1 | 120.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 2 | 34.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 1 | 52.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-958 | Multi cable, screened, 6x2x0.5 mm2,6 twisted pairs - per meter | 1 | 1 | 43.00 |
| Additional cost | | | | 2,917.00 |
| Accessories | | | | |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | | 285.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | | 3,995.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | | 995.00 |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406301A-00500 | SAILOR 6301 Control Unit DSC Class A NOTE: When ordered stand alone - this is without SAILOR 6201 Handset with cradle | 1 | | 1,025.00 |
| 406201A-00500 | SAILOR 6201 Handset Incl Cradle | 1 | | 155.00 |
| 406202A-00500 | SAILOR 6202 Hand Microphone | 1 | | 155.00 |
| 406203A-00500 | SAILOR 6203 Handset Waterproof IPx6 Including cradle | 1 | | 220.00 |

SAILOR 6311 MF/HF 150W FCC

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|---|--------------------|--------------------|------------|
| Miscellaneous | | | | |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | | 430.00 |
| 406270A | SAILOR 6270 Loudspeaker 8 Ohm, 100x100mm, black Including U-bracket | 1 | | 130.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 406080A-001 | Tray for wall mounting of SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 120.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | | 1,495.00 |
| Installation Accessories | | | | |
| 406383A-921 | Mounting Plate for ATU mounting kit | 1 | | 145.00 |
| 406383A-920 | Mounting plate and fittings for mast for ATU mounting kit | 1 | | 320.00 |
| 406208A | SAILOR 6208 Control Unit Connection Box Including 5 meter cable (406208-941) For installation of additional SAILOR 6301/6302 and SAILOR 6204/6205 | 1 | | 155.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | | 145.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | | 135.00 |
| 406300-960 | MFHF Feeder WIREKIT02 Incl.: - 1 pcs. Tube Clamp 40mm - 1 pcs. Shackles, 5/8" in - 8m Feeder wire cable - 1 pcs. Isolator wire, 9kN, 100kV - 1 pcs. Cable clamp 35-50mm2 - 1 pcs. Cable clamp 16-25mm2 - 2 pcs. Wire clamp, 6mm - 2 pcs. Thimble 6mm - 2 pcs. Shackles, 1in | 1 | | 175.00 |
| Options | | | | |
| 406300-001 | SAILOR 6300 MF/HF-Radio Telex Option Code Incl Cable | 1 | | 1,025.00 |
| 406300-006 | Option key for enabling D6 (6 channel watch receiver) in SAILOR 6300 MF/HF 150W/250W | 1 | | 285.00 |

SAILOR 6311 MF/HF 150W FCC

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------------|--|--------------------|--------------------|------------|
| Extended Warranties | | | | |
| 662250-012 | Warr. 3y; 1/250FB/MF/HF/6110/4300 Parts <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet One; <input type="checkbox"/> SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C <input type="checkbox"/> GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 530.00 |
| 662250-024 | Warr. 4y; 1/250FB/MF/HF/6110/4300 Parts <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet One; <input type="checkbox"/> SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C <input type="checkbox"/> GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 1,060.00 |
| 662250-036 | Warr. 5y; 1/250FB/MF/HF/6110/4300 Parts <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet One; <input type="checkbox"/> SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C <input type="checkbox"/> GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 1,590.00 |
| 662250-112 | Warr. 3y; 1/250FB/MF/HF/6110/4300 Parts&Labor <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet <input type="checkbox"/> One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110 <input type="checkbox"/> mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 780.00 |
| 662250-124 | Warr. 4y; 1/250FB/MF/HF/6110/4300 Parts&Labor <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet <input type="checkbox"/> One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110 <input type="checkbox"/> mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 1,560.00 |
| 662250-136 | Warr. 5y; 1/250FB/MF/HF/6110/4300 Parts&Labor <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet <input type="checkbox"/> One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110 <input type="checkbox"/> mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 2,340.00 |
| 662023 | Premium warranty coverage add-on, category 3 <input type="checkbox"/> SAILOR 6110 mini-C GMDSS; SAILOR 500 FB; SAILOR VSAT/GX/KA; SAILOR 63xx MF/HF <input type="checkbox"/> | 1 | | 250.00 |

Extended Warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6320 MF/HF 250W

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|-----------------------------|------------------|
| Main item | | | | |
| 406320B-00500 | SAILOR 6320 MF/HF 250W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6368 MF/HF 250W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 1 | 10,050.00 |
| | | | Basic component cost | 10,050.00 |
| Subcomponent (Required for full system) | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 2 | 1,430.00 |
| 406080A-001 | Tray for wall mounting of SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 1 | 120.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 2 | 34.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 1 | 52.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-958 | Multi cable, screened, 6x2x0.5 mm2,6 twisted pairs - per meter | 1 | 1 | 43.00 |
| | | | Additional cost | 2,917.00 |
| Accessories | | | | |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | | 285.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | | 3,995.00 |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | | 995.00 |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406301A-00500 | SAILOR 6301 Control Unit DSC Class A NOTE: When ordered stand alone - this is without SAILOR 6201 Handset with cradle | 1 | | 1,025.00 |
| 406201A-00500 | SAILOR 6201 Handset Incl Cradle | 1 | | 155.00 |
| 406202A-00500 | SAILOR 6202 Hand Microphone | 1 | | 155.00 |
| 406203A-00500 | SAILOR 6203 Handset Waterproof IPX6 Including cradle | 1 | | 220.00 |

SAILOR 6320 MF/HF 250W

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|---|--------------------|--------------------|------------|
| Miscellaneous | | | | |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | | 430.00 |
| 406270A | SAILOR 6270 Loudspeaker 8 Ohm, 100x100mm, black Including U-bracket | 1 | | 130.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 406080A-001 | Tray for wall mounting of SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 120.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | | 1,495.00 |
| Installation Accessories | | | | |
| 406383A-921 | Mounting Plate for ATU mounting kit | 1 | | 145.00 |
| 406383A-920 | Mounting plate and fittings for mast for ATU mounting kit | 1 | | 320.00 |
| 406208A | SAILOR 6208 Control Unit Connection Box Including 5 meter cable (406208-941) For installation of additional SAILOR 6301/6302 and SAILOR 6204/6205 | 1 | | 155.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | | 145.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | | 135.00 |
| 406300-960 | MFHF Feeder WIREKIT02 Incl.: - 1 pcs. Tube Clamp 40mm - 1 pcs. Shackles, 5/8" in - 8m Feeder wire cable - 1 pcs. Isolator wire, 9kN, 100kV - 1 pcs. Cable clamp 35-50mm2 - 1 pcs. Cable clamp 16-25mm2 - 2 pcs. Wire clamp, 6mm - 2 pcs. Thimble 6mm - 2 pcs. Shackles, 1in | 1 | | 175.00 |
| Options | | | | |
| 406300-001 | SAILOR 6300 MF/HF-Radio Telex Option Code Incl Cable | 1 | | 1,025.00 |
| 406300-006 | Option key for enabling D6 (6 channel watch receiver) in SAILOR 6300 MF/HF 150W/250W | 1 | | 285.00 |

SAILOR 6320 MF/HF 250W

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------------|--|--------------------|--------------------|------------|
| Extended Warranties | | | | |
| 662250-012 | Warr. 3y; 1/250FB/MF/HF/6110/4300 Parts <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet One; <input type="checkbox"/> SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C <input type="checkbox"/> GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 530.00 |
| 662250-024 | Warr. 4y; 1/250FB/MF/HF/6110/4300 Parts <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet One; <input type="checkbox"/> SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C <input type="checkbox"/> GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 1,060.00 |
| 662250-036 | Warr. 5y; 1/250FB/MF/HF/6110/4300 Parts <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet One; <input type="checkbox"/> SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C <input type="checkbox"/> GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 1,590.00 |
| 662250-112 | Warr. 3y; 1/250FB/MF/HF/6110/4300 Parts&Labor <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet <input type="checkbox"/> One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110 <input type="checkbox"/> mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 780.00 |
| 662250-124 | Warr. 4y; 1/250FB/MF/HF/6110/4300 Parts&Labor <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet <input type="checkbox"/> One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110 <input type="checkbox"/> mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 1,560.00 |
| 662250-136 | Warr. 5y; 1/250FB/MF/HF/6110/4300 Parts&Labor <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet <input type="checkbox"/> One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110 <input type="checkbox"/> mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 2,340.00 |
| 662023 | Premium warranty coverage add-on, category 3 <input type="checkbox"/> SAILOR 6110 mini-C GMDSS; SAILOR 500 FB; SAILOR VSAT/GX/KA; SAILOR 63xx MF/HF <input type="checkbox"/> | 1 | | 250.00 |

Extended warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6350 MF/HF 500W

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|------------------|
| Main item | | | | |
| 406350B-00500 | SAILOR 6350 MF/HF 500W DSC Class A (6 Channel watch receiver and radiotelex can be enabled) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6369 MF/HF 500W Transceiver Unit DSC Class A - SAILOR 6383 Antenna Tuning Unit 500W - SAILOR 6300 MF/HF Radio Telex Option Code incl Cable (406300-001) - Option Key for enabling D6 (6 channel watch receiver) - (406300-006) | 1 | 1 | 23,500.00 |
| Basic component cost | | | | 23,500.00 |
| Subcomponent (Required for full system) | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 4 | 2,860.00 |
| 406080A-001 | Tray for wall mounting of SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 2 | 240.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 2 | 34.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 1 | 52.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-958 | Multi cable, screened, 6x2x0.5 mm2,6 twisted pairs - per meter | 1 | 1 | 43.00 |
| Additional cost | | | | 4,467.00 |
| Accessories | | | | |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | | 285.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | | 3,995.00 |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | | 995.00 |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406301A-00500 | SAILOR 6301 Control Unit DSC Class A NOTE: When ordered stand alone - this is without SAILOR 6201 Handset with cradle | 1 | | 1,025.00 |
| 406201A-00500 | SAILOR 6201 Handset Incl Cradle | 1 | | 155.00 |
| 406202A-00500 | SAILOR 6202 Hand Microphone | 1 | | 155.00 |
| 406203A-00500 | SAILOR 6203 Handset Waterproof IPx6 Including cradle | 1 | | 220.00 |

SAILOR 6350 MF/HF 500W

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|---|--------------------|--------------------|------------|
| Miscellaneous | | | | |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | | 430.00 |
| 406270A | SAILOR 6270 Loudspeaker 8 Ohm, 100x100mm, black Including U-bracket | 1 | | 130.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 406080A-001 | Tray for wall mounting of SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 120.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | | 1,495.00 |
| Installation Accessories | | | | |
| 406383A-921 | Mounting Plate for ATU mounting kit | 1 | | 145.00 |
| 406383A-920 | Mounting plate and fittings for mast for ATU mounting kit | 1 | | 320.00 |
| 406208A | SAILOR 6208 Control Unit Connection Box Including 5 meter cable (406208-941) For installation of additional SAILOR 6301/6302 and SAILOR 6204/6205 | 1 | | 155.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | | 145.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | | 135.00 |
| 406300-960 | MFHF Feeder WIREKIT02 Incl.: - 1 pcs. Tube Clamp 40mm - 1 pcs. Shackles, 5/8" in - 8m Feeder wire cable - 1 pcs. Isolator wire, 9kN, 100kV - 1 pcs. Cable clamp 35-50mm2 - 1 pcs. Cable clamp 16-25mm2 - 2 pcs. Wire clamp, 6mm - 2 pcs. Thimble 6mm - 2 pcs. Shackles, 1in | 1 | | 175.00 |
| Extended Warranties | | | | |
| 662500-012 | Ext. Warr. 3 year - 500FB; MF/HF 500W - Parts☐ SAILOR 500 FleetBroadband; SAILOR 63xx MF/HF☐ 500W; Sea Tel Fiber Solution☐ | 1 | | 745.00 |
| 662500-024 | Ext. Warr. 4 year - 500FB; MF/HF 500W - Parts☐ SAILOR 500 FleetBroadband; SAILOR 63xx MF/HF☐ 500W; Sea Tel Fiber Solution☐ | 1 | | 1,490.00 |
| 662500-036 | Ext. Warr. 5 year - 500FB; MF/HF 500W - Parts☐ SAILOR 500 FleetBroadband; SAILOR 63xx MF/HF☐ 500W; Sea Tel Fiber Solution☐ | 1 | | 2,235.00 |
| 662500-112 | Ext. Warr. 3 year - 500FB; MF/HF 500W -Parts&Labor☐ SAILOR 500 FleetBroadband; SAILOR 63xx MF/☐ HF 500W; Sea Tel Fiber Solution☐ | 1 | | 995.00 |
| 662500-124 | Ext. Warr. 4 year - 500FB; MF/HF 500W -Parts&Labor☐ SAILOR 500 FleetBroadband; SAILOR 63xx MF/☐ HF 500W; Sea Tel Fiber Solution☐ | 1 | | 1,990.00 |
| 662500-136 | Ext. Warr. 5 year - 500FB; MF/HF 500W -Parts&Labor☐ SAILOR 500 FleetBroadband; SAILOR 63xx MF/☐ HF 500W; Sea Tel Fiber Solution☐ | 1 | | 2,985.00 |
| 662023 | Premium warranty coverage add-on, category 3☐ SAILOR 6110 mini-C GMDSS; SAILOR 500 FB; SAILOR VSAT/GX/KA; SAILOR 63xx MF/HF☐ | 1 | | 250.00 |

SAILOR 6350 MF/HF 500W

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------|-------------|--------------------|--------------------|------------|
|----------|-------------|--------------------|--------------------|------------|

Extended warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6110 mini-C GMDSS System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|------------|
| Main item | | | | |
| 406110A-00501 | SAILOR 6110 GMDSS System Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 30M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline Micro Termination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 1 | 6,165.00 |
| 406110A-00551 | SAILOR 6110 GMDSS System 50M Cable Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 50M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline MicroTermination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 1 | 6,270.00 |
| Subcomponent (Required for full system) | | | | |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 1 | 995.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | 1 | 540.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 1 | 1,495.00 |
| Batteries & Chargers | | | | |
| 406195A-00500 | Battery box option for SAILOR 6194 Terminal Control Unit (TCU) Provides power to mini-C and also contains powermangement and tamper switch Bolt on accessory for TCU | 1 | | 1,095.00 |

SAILOR 6110 mini-C GMDSS System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|---|--------------------|--------------------|------------|
| Miscellaneous | | | | |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | | 3,995.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 540.00 |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | | 430.00 |
| Power Supplies & Chargers | | | | |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | | 1,495.00 |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | | 395.00 |
| Installation Accessories | | | | |
| 403027-103 | Opt. Mounting Bracket TT-3027 Mini-C | 1 | | 120.00 |
| 406100-938 | Converter kit for mini-C 3026 cable to new NMEA2K Incl. - Adapter (3026 to 3027) - Bracket | 1 | | 115.00 |
| Cables | | | | |
| 406100-930 | Mini/Micro NMEA2K Tee | 1 | | 47.00 |
| 406100-931 | Micro NMEA2K Tee | 1 | | 42.00 |
| 406100-932 | Inline Micro termination Conn | 1 | | 27.00 |
| 406100-933 | Male Mini NMEA2K Field Conn | 1 | | 27.00 |
| 406100-934 | Male Micro NMEA2K Field Conn | 1 | | 32.00 |
| 406100-935 | Opt. Female Mini NMEA2K field connector | 1 | | 47.00 |
| 406100-940 | 6m NMEA2K Micro Device Cable | 1 | | 70.00 |
| 406100-943 | 6m NMEA2K Power Cable | 1 | | 75.00 |
| 406100-944 | 30m NMEA2K Mini Device Cable | 1 | | 280.00 |
| 406100-945 | 50m NMEA2K Mini Device Cable | 1 | | 475.00 |
| 406100-946 | 10m NMEA2K Mini Device Cable | 1 | | 95.00 |
| 406100-947 | 15m NMEA2K Mini Device Cable | 1 | | 145.00 |

SAILOR 6110 mini-C GMDSS System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------------|--|--------------------|--------------------|------------|
| Options | | | | |
| 406100-00520 | SAILOR GLONASS add-on kit for SAILOR 61xx mini-C Builds into TCU and contains of GLONASS module, GLONASS external antenna, 25M cable and mounting acc. | 1 | | 465.00 |
| 406110A-913 | Opt. SAILOR SSAS add-on kit for 6110 Incl.: - SAILOR 6194 Terminal Control Unit (406194A) - 2 pcs. Alert buttons with 50m cable - 1 pcs. test button with 50m cable | 1 | | 1,350.00 |
| 406110A-916 | Opt. SAILOR SSAS add-on kit for 6110-US version Incl.: - 406194A Terminal Control Unit -2 pcs. Alert buttons with 50m cable -1 pcs. test button with 50m cable | 1 | | 1,400.00 |
| Extended Warranties | | | | |
| 662250-012 | Warr. 3y; 1/250FB/MF/HF/6110/4300 Parts <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet One; <input type="checkbox"/> SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C <input type="checkbox"/> GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 530.00 |
| 662250-024 | Warr. 4y; 1/250FB/MF/HF/6110/4300 Parts <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet One; <input type="checkbox"/> SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C <input type="checkbox"/> GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 1,060.00 |
| 662250-036 | Warr. 5y; 1/250FB/MF/HF/6110/4300 Parts <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet One; <input type="checkbox"/> SAILOR 63xx MF/HF 150/250W; SAILOR 6110 mini-C <input type="checkbox"/> GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 1,590.00 |
| 662250-112 | Warr. 3y; 1/250FB/MF/HF/6110/4300 Parts&Labor <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet <input type="checkbox"/> One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110 <input type="checkbox"/> mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 780.00 |
| 662250-124 | Warr. 4y; 1/250FB/MF/HF/6110/4300 Parts&Labor <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet <input type="checkbox"/> One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110 <input type="checkbox"/> mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 1,560.00 |
| 662250-136 | Warr. 5y; 1/250FB/MF/HF/6110/4300 Parts&Labor <input type="checkbox"/> SAILOR 150/250 FleetBroadband; SAILOR Fleet <input type="checkbox"/> One; SAILOR 63xx MF/HF 150/250W; SAILOR 6110 <input type="checkbox"/> mini-C GMDSS system; Sea Tel C18/ST24/Arbitrator <input type="checkbox"/> | 1 | | 2,340.00 |
| 662023 | Premium warranty coverage add-on, category 3 <input type="checkbox"/> SAILOR 6110 mini-C GMDSS; SAILOR 500 FB; SAILOR VSAT/GX/KA; SAILOR 63xx MF/HF <input type="checkbox"/> | 1 | | 250.00 |

Extended warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6120 mini-C SSA System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|------------|
| Main item | | | | |
| 406120A-00500 | SAILOR 6120 SSA System Package consisting of: - SAILOR 3027 SSA Terminal - SAILOR 6194 Terminal Control Unit - 30M NMEA2K Mini Device Cable - Mini/Micro NMEA2K Tee - 6m NMEA2K Power Cable - SSAS button kit - User/installation guide | 1 | 1 | 3,150.00 |
| 406120A-00550 | SAILOR 6120 SSA System 50M cable Package consisting of: - SAILOR 3027 SSA Terminal - SAILOR 6194 Terminal Control Unit - 50M NMEA2K Mini Device Cable - Mini/Micro NMEA2K Tee - 6m NMEA2K Power Cable - SSAS button kit - User/installation guide | 1 | 1 | 3,245.00 |
| 406120A-00510 | SAILOR 6120 SSA/US System Package consisting of: - SAILOR 3027 SSA Terminal - SAILOR 6194 Terminal Control Unit - 30M NMEA2K Mini Device Cable - Mini/Micro NMEA2K Tee - 6m NMEA2K Power Cable - US SSAS button kit - User/installation guide | 1 | 1 | 3,500.00 |
| 406120A-00560 | SAILOR 6120 SSA/US System 50M cable Package consisting of: - SAILOR 3027 SSA Terminal - SAILOR 6194 Terminal Control Unit - 50M NMEA2K Mini Device Cable - Mini/Micro NMEA2K Tee - 6m NMEA2K Power Cable - US SSAS button kit - User/installation guide | 1 | 1 | 3,600.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| Batteries & Chargers | | | | |
| 406195A-00500 | Battery box option for SAILOR 6194 Terminal Control Unit (TCU) Provides power to mini-C and also contains powermanagement and tamper switch Bolt on accessory for TCU | 1 | | 1,095.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | | 395.00 |
| Installation Accessories | | | | |
| 403027-103 | Opt. Mounting Bracket TT-3027 Mini-C | 1 | | 120.00 |
| 406100-938 | Converter kit for mini-C 3026 cable to new NMEA2K Incl. - Adapter (3026 to 3027) - Bracket | 1 | | 115.00 |

SAILOR 6120 mini-C SSA System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------------|--|--------------------|--------------------|------------|
| Cables | | | | |
| 406100-930 | Mini/Micro NMEA2K Tee | 1 | | 47.00 |
| 406100-931 | Micro NMEA2K Tee | 1 | | 42.00 |
| 406100-932 | Inline Micro termination Conn | 1 | | 27.00 |
| 406100-933 | Male Mini NMEA2K Field Conn | 1 | | 27.00 |
| 406100-934 | Male Micro NMEA2K Field Conn | 1 | | 32.00 |
| 406100-935 | Opt. Female Mini NMEA2K field connector | 1 | | 47.00 |
| 406100-940 | 6m NMEA2K Micro Device Cable | 1 | | 70.00 |
| 406100-941 | 20m NMEA2K Micro Device Cable | 1 | | 155.00 |
| 406100-943 | 6m NMEA2K Power Cable | 1 | | 75.00 |
| 406100-944 | 30m NMEA2K Mini Device Cable | 1 | | 280.00 |
| 406100-945 | 50m NMEA2K Mini Device Cable | 1 | | 475.00 |
| 406100-946 | 10m NMEA2K Mini Device Cable | 1 | | 95.00 |
| 406100-947 | 15m NMEA2K Mini Device Cable | 1 | | 145.00 |
| Options | | | | |
| 406100-00520 | SAILOR GLONASS add-on kit for SAILOR 61xx mini-C Builds into TCU and contains of GLONASS module, GLONASS external antenna, 25M cable and mounting acc. | 1 | | 465.00 |
| Extended Warranties | | | | |
| 662077-012 | Ext. Warr. 3 year - mini-C; MT; AIS - Parts <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 265.00 |
| 662077-024 | Ext. Warr. 4 year - mini-C; MT; AIS - Parts <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 530.00 |
| 662077-036 | Ext. Warr. 5 year - mini-C; MT; AIS - Parts <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 795.00 |
| 662077-112 | Ext. Warr. 3 year - mini-C; MT; AIS - Parts&Labor <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 390.00 |
| 662077-124 | Ext. Warr. 4 year - mini-C; MT; AIS - Parts&Labor <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 780.00 |
| 662077-136 | Ext. Warr. 5 year - mini-C; MT; AIS - Parts&Labor <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 1,170.00 |
| 662022 | Premium warranty coverage add-on, category 2 <input type="checkbox"/> SAILOR 6120/6150 mini-C; SAILOR 150/250 FB; SAILOR 628x AIS; <input type="checkbox"/> SAILOR 63xx Navtex; EXPLORER 325/727 BGAN <input type="checkbox"/> | 1 | | 195.00 |

Extended warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6130 mini-C LRIT System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|---|--------------------|--------------------|------------|
| Main item | | | | |
| 406130A-00500 | SAILOR 6130 LRIT System Package consisting of: - SAILOR 3027 LRIT Terminal - Mini/Micro NMEA2K Tee - 6m NMEA2K Power Cable - 30m NMEA2K Mini Device Cable - User/installation guide | 1 | 1 | 1,675.00 |
| 406130A-00550 | SAILOR 6130 LRIT System 50M cable Package consisting of: - SAILOR 3027 LRIT Terminal - Mini/Micro NMEA2K Tee - 6m NMEA2K Power Cable - 50m NMEA2K Mini Device Cable - User/installation guide | 1 | 1 | 1,780.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | | 395.00 |
| Installation Accessories | | | | |
| 403027-103 | Opt. Mounting Bracket TT-3027 Mini-C | 1 | | 120.00 |
| 406100-938 | Converter kit for mini-C 3026 cable to new NMEA2K Incl. - Adapter (3026 to 3027) - Bracket | 1 | | 115.00 |
| Cables | | | | |
| 406100-930 | Mini/Micro NMEA2K Tee | 1 | | 47.00 |
| 406100-931 | Micro NMEA2K Tee | 1 | | 42.00 |
| 406100-932 | Inline Micro termination Conn | 1 | | 27.00 |
| 406100-933 | Male Mini NMEA2K Field Conn | 1 | | 27.00 |
| 406100-934 | Male Micro NMEA2K Field Conn | 1 | | 32.00 |
| 406100-935 | Opt. Female Mini NMEA2K field connector | 1 | | 47.00 |
| 406100-940 | 6m NMEA2K Micro Device Cable | 1 | | 70.00 |
| 406100-941 | 20m NMEA2K Micro Device Cable | 1 | | 155.00 |
| 406100-943 | 6m NMEA2K Power Cable | 1 | | 75.00 |
| 406100-944 | 30m NMEA2K Mini Device Cable | 1 | | 280.00 |
| 406100-945 | 50m NMEA2K Mini Device Cable | 1 | | 475.00 |
| 406100-946 | 10m NMEA2K Mini Device Cable | 1 | | 95.00 |
| 406100-947 | 15m NMEA2K Mini Device Cable | 1 | | 145.00 |
| Options | | | | |
| 406100-00520 | SAILOR GLONASS add-on kit for SAILOR 61xx mini-C Builds into TCU and contains of GLONASS module, GLONASS external antenna, 25M cable and mounting acc. | 1 | | 465.00 |
| 406194A-00510 | THRANE 6194 Term. Ctrl. Unit | 1 | | 645.00 |

SAILOR 6130 mini-C LRIT System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------------|---|--------------------|--------------------|------------|
| Extended Warranties | | | | |
| 662077-012 | Ext. Warr. 3 year - mini-C; MT; AIS - Parts SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 265.00 |
| 662077-024 | Ext. Warr. 4 year - mini-C; MT; AIS - Parts SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 530.00 |
| 662077-036 | Ext. Warr. 5 year - mini-C; MT; AIS - Parts SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 795.00 |
| 662077-112 | Ext. Warr. 3 year - mini-C; MT; AIS - Parts&Labor SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 390.00 |
| 662077-124 | Ext. Warr. 4 year - mini-C; MT; AIS - Parts&Labor SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 780.00 |
| 662077-136 | Ext. Warr. 5 year - mini-C; MT; AIS - Parts&Labor SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 1,170.00 |
| 662021 | Premium warranty coverage add-on, category 1 SAILOR 62xx VHF; SAILOR 6130/6140 mini-C | 1 | | 135.00 |

Extended warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6140 mini-C Maritime System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|---|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406140A-00501 | SAILOR 6140 Maritime System Package consisting of: - SAILOR 3027 Maritime System - Accessories kit for Maritime and LRIT - User/installation guide | 1 | 1 | 1,290.00 |
| Basic component cost | | | | 1,290.00 |
| Batteries & Chargers | | | | |
| 406195A-00500 | Battery box option for SAILOR 6194 Terminal Control Unit (TCU) Provides power to mini-C and also contains powermanagement and tamper switch Bolt on accessory for TCU | 1 | | 1,095.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | | 395.00 |
| Installation Accessories | | | | |
| 403027-103 | Opt. Mounting Bracket TT-3027 Mini-C | 1 | | 120.00 |
| 406100-938 | Converter kit for mini-C 3026 cable to new NMEA2K Incl. - Adapter (3026 to 3027) - Bracket | 1 | | 115.00 |
| Cables | | | | |
| 406100-930 | Mini/Micro NMEA2K Tee | 1 | | 47.00 |
| 406100-932 | Inline Micro termination Conn | 1 | | 27.00 |
| 406100-933 | Male Mini NMEA2K Field Conn | 1 | | 27.00 |
| 406100-934 | Male Micro NMEA2K Field Conn | 1 | | 32.00 |
| 406100-935 | Opt. Female Mini NMEA2K field connector | 1 | | 47.00 |
| 406100-940 | 6m NMEA2K Micro Device Cable | 1 | | 70.00 |
| 406100-941 | 20m NMEA2K Micro Device Cable | 1 | | 155.00 |
| 406100-943 | 6m NMEA2K Power Cable | 1 | | 75.00 |
| 406100-944 | 30m NMEA2K Mini Device Cable | 1 | | 280.00 |
| 406100-945 | 50m NMEA2K Mini Device Cable | 1 | | 475.00 |
| 406100-946 | 10m NMEA2K Mini Device Cable | 1 | | 95.00 |
| 406100-947 | 15m NMEA2K Mini Device Cable | 1 | | 145.00 |
| Options | | | | |
| 406100-00520 | SAILOR GLONASS add-on kit for SAILOR 61xx mini-C Builds into TCU and contains of GLONASS module, GLONASS external antenna, 25M cable and mounting acc. | 1 | | 465.00 |

SAILOR 6140 mini-C Maritime System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------------|---|--------------------|--------------------|------------|
| Extended Warranties | | | | |
| 662077-012 | Ext. Warr. 3 year - mini-C; MT; AIS - Parts SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 265.00 |
| 662077-024 | Ext. Warr. 4 year - mini-C; MT; AIS - Parts SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 530.00 |
| 662077-036 | Ext. Warr. 5 year - mini-C; MT; AIS - Parts SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 795.00 |
| 662077-112 | Ext. Warr. 3 year - mini-C; MT; AIS - Parts&Labor SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 390.00 |
| 662077-124 | Ext. Warr. 4 year - mini-C; MT; AIS - Parts&Labor SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 780.00 |
| 662077-136 | Ext. Warr. 5 year - mini-C; MT; AIS - Parts&Labor SAILOR 6120/30/40/50 mini-C; SAILOR 6006 Message Terminal; SAILOR 628x AIS System | 1 | | 1,170.00 |
| 662021 | Premium warranty coverage add-on, category 1 SAILOR 62xx VHF; SAILOR 6130/6140 mini-C | 1 | | 135.00 |

Extended warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6150 mini-C Non-SOLAS Distress System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|---|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406150A-00501 | SAILOR 6150 Non Solas Distress System Package consisting of: - SAILOR 3027 Non Solas Distess Terminal - SAILOR 6194 THRANE 6194 Term. Ctrl. Unit - Accessories kit - User/installation guide NOTE: NON SOLAS DISTRESS require an Easy Mail connection | 1 | 1 | 2,025.00 |
| Basic component cost | | | | 2,025.00 |
| Batteries & Chargers | | | | |
| 406195A-00500 | Battery box option for SAILOR 6194 Terminal Control Unit (TCU) Provides power to mini-C and also contains powermangement and tamper switch Bolt on accessory for TCU | 1 | | 1,095.00 |
| Miscellaneous | | | | |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | | 3,995.00 |
| Power Supplies & Chargers | | | | |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | | 395.00 |
| Installation Accessories | | | | |
| 403027-103 | Opt. Mounting Bracket TT-3027 Mini-C | 1 | | 120.00 |
| 403042E | SAILOR 3042E / 6108 Distress Panel | 1 | | 475.00 |
| 406100-938 | Converter kit for mini-C 3026 cable to new NMEA2K Incl. - Adapter (3026 to 3027) - Bracket | 1 | | 115.00 |
| Cables | | | | |
| 406100-930 | Mini/Micro NMEA2K Tee | 1 | | 47.00 |
| 406100-931 | Micro NMEA2K Tee | 1 | | 42.00 |
| 406100-932 | Inline Micro termination Conn | 1 | | 27.00 |
| 406100-933 | Male Mini NMEA2K Field Conn | 1 | | 27.00 |
| 406100-934 | Male Micro NMEA2K Field Conn | 1 | | 32.00 |
| 406100-935 | Opt. Female Mini NMEA2K field connector | 1 | | 47.00 |
| 406100-940 | 6m NMEA2K Micro Device Cable | 1 | | 70.00 |
| 406100-941 | 20m NMEA2K Micro Device Cable | 1 | | 155.00 |
| 406100-943 | 6m NMEA2K Power Cable | 1 | | 75.00 |
| 406100-944 | 30m NMEA2K Mini Device Cable | 1 | | 280.00 |
| 406100-945 | 50m NMEA2K Mini Device Cable | 1 | | 475.00 |
| 406100-946 | 10m NMEA2K Mini Device Cable | 1 | | 95.00 |
| 406100-947 | 15m NMEA2K Mini Device Cable | 1 | | 145.00 |

SAILOR 6150 mini-C Non-SOLAS Distress System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------------|--|--------------------|--------------------|------------|
| Options | | | | |
| 406100-00520 | SAILOR GLONASS add-on kit for SAILOR 61xx mini-C Builds into TCU and contains of GLONASS module, GLONASS external antenna, 25M cable and mounting acc. | 1 | | 465.00 |
| Extended Warranties | | | | |
| 662077-012 | Ext. Warr. 3 year - mini-C; MT; AIS - Parts <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 265.00 |
| 662077-024 | Ext. Warr. 4 year - mini-C; MT; AIS - Parts <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 530.00 |
| 662077-036 | Ext. Warr. 5 year - mini-C; MT; AIS - Parts <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 795.00 |
| 662077-112 | Ext. Warr. 3 year - mini-C; MT; AIS - Parts&Labor <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 390.00 |
| 662077-124 | Ext. Warr. 4 year - mini-C; MT; AIS - Parts&Labor <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 780.00 |
| 662077-136 | Ext. Warr. 5 year - mini-C; MT; AIS - Parts&Labor <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 1,170.00 |
| 662022 | Premium warranty coverage add-on, category 2 <input type="checkbox"/> SAILOR 6120/6150 mini-C; SAILOR 150/250 FB; SAILOR 628x AIS; <input type="checkbox"/> SAILOR 63xx Navtex; EXPLORER 325/727 BGAN <input type="checkbox"/> | 1 | | 195.00 |

Extended warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

LocPoint

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------------|---|--------------------|--------------------|------------|
| Remote Services | | | | |
| 403000-007 | LRIT conformance test in relation to IMO Circ. 1307 To submit please mail the relevant information to support@locpoint.com | 1 | | 415.00 |
| 403000-008 | Query on Configuration or Firmware | 1 | | 120.00 |
| 403000-009 | Single configuration for SAILOR mini-C | 1 | | 210.00 |
| 403000-010 | Multiple message configuration for SAILOR mini-C | 1 | | 410.00 |

SAILOR 6000 Consoles

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|---|--------------------|--------------------|------------|
| Miscellaneous | | | | |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | | 0.00 |
| Installation Accessories | | | | |
| 406330A-00500 | SAILOR 6330 GMDSS Connection Box | 1 | | 1,025.00 |
| One Bay Console - 2 Handsets | | | | |
| 406331A-20000 | SAILOR 6331A A2 GMDSS Console One bay console for mounting of 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets) - to be ordered seperately Included is: Connection board, 1x406197A EDS-205 Moxa Switch, light and interconnectioncables. Black/Grey | 1 | | 4,425.00 |
| Two Bay Console - 2 Handsets | | | | |
| 406332A-20000 | SAILOR 6332A A2 GMDSS Console with RadioTlx Two bay console for mounting of 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 1xSAILOR 6018 Message Terminal RadioTlx. -- units to be ordered seperately Included is: connection board, 1x406197A EDS-205 Moxa Switch, light and interconnection cables. Black/Grey | 1 | | 4,850.00 |
| Three Bay Console- 1 handset | | | | |
| 406333B-20000 | SAILOR 6333B A3 GMDSS Console Three bay console for mounting of 1xSAILOR 6301 Control Unit (1 handset), 2xSAILOR 6018 Message Terminal Mini-C/RadioTlx. . -- units to be ordered seperately. Included is: Cconnection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | | 5,145.00 |
| 406333C-20000 | SAILOR 6333C A3 GMDSS Console Three bay console for mountin of 1xSAILOR 6301 Control Unit (1 handset), 2xSAILOR 6018 Message Terminal Mini-C/Mini-C -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205 MoxaSwitches, light and interconnection cables. Black/Grey | 1 | | 5,145.00 |
| Three Bay Console- 2 handsets | | | | |
| 406333A-20000 | SAILOR 6333A A3 GMDSS Console Three bay console for 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 2xSAILOR 6018 Message Terminal Mini-C/RadioTlx -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | | 5,150.00 |
| 406333D-20000 | SAILOR 6333D A3 GMDSS Console Three bay console for 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 2xSAILOR 6018 Message Terminal Mini-C/Mini-C -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | | 5,150.00 |

SAILOR 6000 Consoles

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|-------------------------------------|--|--------------------|--------------------|------------|
| Four Bay Console- 2 handsets | | | | |
| 406334A-20000 | SAILOR 6334A A3 GMDSS Console with VoIP Handset Four bay console for 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 2xSAILOR 6018 Message Terminal Mini-C/RadioTlx, 1xSAILOR VoIP Handset -- units to be ordered seperately. Included us:Connection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | | 5,560.00 |
| 406334B-20000 | SAILOR 6334B A3 GMDSS Console with VoIP Handset Four bay console for 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 2xSAILOR 6018 Message Terminal Mini-C/Mini-C, 1xSAILOR VoIP Handset -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | | 5,560.00 |
| 406334C-20000 | SAILOR 6334C A4 GMDSS Console Four bay console for 2xSAILOR 6301 Control Unit, (2 handsets), 3xSAILOR 6018 Message Terminal Radio Tlx/Radio Tlx/Mini-C -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205Moxa Switches, light and interconnection cables. Black/Grey | 1 | | 5,660.00 |

SAILOR 6000 GMDSS A1

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|------------------|
| Main item | | | | |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 2 | 290.00 |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 2 | 790.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThraneLINK enabled | 1 | 1 | 2,200.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| Basic component cost | | | | 11,235.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 2 | 92.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| Additional cost | | | | 1,840.00 |

SAILOR 6000 GMDSS A1

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|-------------------------------------|--|--------------------|--------------------|------------|
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |

SAILOR 6000 GMDSS A2 150W + extra Radio Telex - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|---|--------------------|--------------------|------------|
| Main item | | | | |
| 406332A-20000 | SAILOR 6332A A2 GMDSS Console with RadioTlx Two bay console for mounting of 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 1xSAILOR 6018 Message Terminal RadioTlx. -- units to be ordered seperately Included is: connection board, 1x406197A EDS-205 Moxa Switch, light and interconnection cables. Black/Grey | 1 | 1 | 4,850.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406310B-00500 | SAILOR 6310 MF/HF 150W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6365 MF/HF 150W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 1 | 7,825.00 |
| 406300-001 | SAILOR 6300 MF/HF-Radio Telex Option Code Incl Cable | 1 | 1 | 1,025.00 |
| 406300-006 | Option key for enabling D6 (6 channel watch receiver) in SAILOR 6300 MF/HF 150W/250W | 1 | 1 | 285.00 |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | 1 | 285.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | 1 | 3,995.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 1 | 995.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 1 | 715.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThraneLINK enabled | 1 | 1 | 2,200.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |

SAILOR 6000 GMDSS A2 150W + extra Radio Telex - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|------------------|
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| Basic component cost | | | | 34,085.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 2 | 104.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 2 | 92.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| Additional cost | | | | 3,199.00 |
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |

SAILOR 6000 GMDSS A2 150W - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406331A-20000 | SAILOR 6331A A2 GMDSS Console One bay console for mounting of 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets) - to be ordered separately Included is: Connection board, 1x406197A EDS-205 Moxa Switch, light and interconnectioncables. Black/Grey | 1 | 1 | 4,425.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406310B-00500 | SAILOR 6310 MF/HF 150W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6365 MF/HF 150W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 1 | 7,825.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 1 | 715.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThrelenLINK enabled | 1 | 1 | 2,200.00 |

SAILOR 6000 GMDSS A2 150W - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|------------------|
| Basic component cost | | | | 27,075.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 2 | 104.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| Additional cost | | | | 3,475.00 |
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |

SAILOR 6000 GMDSS A2 250W - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406331A-20000 | SAILOR 6331A A2 GMDSS Console One bay console for mounting of 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets) - to be ordered separately Included is: Connection board, 1x406197A EDS-205 Moxa Switch, light and interconnectioncables. Black/Grey | 1 | 1 | 4,425.00 |
| 406320B-00500 | SAILOR 6320 MF/HF 250W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6368 MF/HF 250W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 1 | 10,050.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 1 | 715.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThrelenLINK enabled | 1 | 1 | 2,200.00 |

SAILOR 6000 GMDSS A2 250W - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|------------------|
| Basic component cost | | | | 29,300.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 2 | 104.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| Additional cost | | | | 3,475.00 |
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |

SAILOR 6000 GMDSS A2 500W - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406331A-20000 | SAILOR 6331A A2 GMDSS Console One bay console for mounting of 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets) - to be ordered seperately Included is: Connection board, 1x406197A EDS-205 Moxa Switch, light and interconnectioncables. Black/Grey | 1 | 1 | 4,425.00 |
| 406350B-00500 | SAILOR 6350 MF/HF 500W DSC Class A (6 Channel watch receiver and radiotelex can be enabled) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6369 MF/HF 500W Transceiver Unit DSC Class A - SAILOR 6383 Antenna Tuning Unit 500W - SAILOR 6300 MF/HF Radio Telex Option Code incl Cable (406300-001) - Option Key for enabling D6 (6 channel watch receiver) - (406300-006) | 1 | 1 | 23,500.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 3 | 2,145.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |

SAILOR 6000 GMDSS A2 500W - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|-----------------------------|------------------|
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThrelINK enabled | 1 | 1 | 2,200.00 |
| | | | Basic component cost | 44,180.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 2 | 104.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| | | | Additional cost | 3,475.00 |
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |

SAILOR 6000 GMDSS A3 150W mini-C/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406333D-20000 | SAILOR 6333D A3 GMDSS Console Three bay console for 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 2xSAILOR 6018 Message Terminal Mini-C/Mini-C -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | 1 | 5,150.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406310B-00500 | SAILOR 6310 MF/HF 150W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6365 MF/HF 150W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 1 | 7,825.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406110A-00501 | SAILOR 6110 GMDSS System Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 30M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline Micro Termination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 2 | 12,330.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | 2 | 1,080.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 2 | 1,990.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | 1 | 430.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 1 | 715.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |

SAILOR 6000 GMDSS A3 150W mini-C/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|------------------|
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThrelINK enabled | 1 | 1 | 2,200.00 |
| Basic component cost | | | | 43,630.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 2 | 104.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| Additional cost | | | | 3,475.00 |
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |

SAILOR 6000 GMDSS A3 150W mini-C/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------|---|--------------------|--------------------|------------|
| Miscellaneous | | | | |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |

Extended warranty

Extended warranty on the complete A3 or A4 GMDSS console is available:

- 1) Extended Period - Parts Warranty - 3% of package price
- 2) Extended Period - Parts & Labour Warranty - 5% of package price
- 3) Extended Period - Premium Coverage - 7% of package price

These are available in 12 months, 24 months or 36 months

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6000 GMDSS A3 150W Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406333A-20000 | SAILOR 6333A A3 GMDSS Console Three bay console for 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 2xSAILOR 6018 Message Terminal Mini-C/RadioTlx -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | 1 | 5,150.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406310B-00500 | SAILOR 6310 MF/HF 150W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6365 MF/HF 150W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 1 | 7,825.00 |
| 406300-001 | SAILOR 6300 MF/HF-Radio Telex Option Code Incl Cable | 1 | 1 | 1,025.00 |
| 406300-006 | Option key for enabling D6 (6 channel watch receiver) in SAILOR 6300 MF/HF 150W/250W | 1 | 1 | 285.00 |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | 1 | 285.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | 1 | 3,995.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 2 | 1,990.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406110A-00501 | SAILOR 6110 GMDSS System Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 30M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline Micro Termination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 1 | 6,165.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | 1 | 540.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | 1 | 430.00 |

SAILOR 6000 GMDSS A3 150W Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|------------------|
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 1 | 715.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThraneLINK enabled | 1 | 1 | 2,200.00 |
| Basic component cost | | | | 42,515.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 2 | 104.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| Additional cost | | | | 3,475.00 |

SAILOR 6000 GMDSS A3 150W Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|-------------------------------------|---|--------------------|--------------------|------------|
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |
| Miscellaneous | | | | |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |

Extended warranty

Extended warranty on the complete A3 or A4 GMDSS console is available:

- 1) Extended Period - Parts Warranty - 3% of package price
- 2) Extended Period - Parts & Labour Warranty - 5% of package price
- 3) Extended Period - Premium Coverage - 7% of package price

These are available in 12 months, 24 months or 36 months

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6000 GMDSS A3 250W mini-C/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406333D-20000 | SAILOR 6333D A3 GMDSS Console Three bay console for 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 2xSAILOR 6018 Message Terminal Mini-C/Mini-C -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | 1 | 5,150.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406320B-00500 | SAILOR 6320 MF/HF 250W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6368 MF/HF 250W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 1 | 10,050.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406110A-00501 | SAILOR 6110 GMDSS System Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 30M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline Micro Termination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 2 | 12,330.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | 2 | 1,080.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 2 | 1,990.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | 1 | 430.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 1 | 715.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |

SAILOR 6000 GMDSS A3 250W mini-C/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|------------------|
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThrelINK enabled | 1 | 1 | 2,200.00 |
| Basic component cost | | | | 45,855.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 2 | 104.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| Additional cost | | | | 3,475.00 |
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |

SAILOR 6000 GMDSS A3 250W mini-C/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------|---|--------------------|--------------------|------------|
| Miscellaneous | | | | |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |

Extended warranty

Extended warranty on the complete A3 or A4 GMDSS console is available:

- 1) Extended Period - Parts Warranty - 3% of package price
- 2) Extended Period - Parts & Labour Warranty - 5% of package price
- 3) Extended Period - Premium Coverage - 7% of package price

These are available in 12 months, 24 months or 36 months

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6000 GMDSS A3 250W Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406333A-20000 | SAILOR 6333A A3 GMDSS Console Three bay console for 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 2xSAILOR 6018 Message Terminal Mini-C/RadioTlx -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | 1 | 5,150.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406320B-00500 | SAILOR 6320 MF/HF 250W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6368 MF/HF 250W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 1 | 10,050.00 |
| 406300-001 | SAILOR 6300 MF/HF-Radio Telex Option Code Incl Cable | 1 | 1 | 1,025.00 |
| 406300-006 | Option key for enabling D6 (6 channel watch receiver) in SAILOR 6300 MF/HF 150W/250W | 1 | 1 | 285.00 |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | 1 | 285.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | 1 | 3,995.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 2 | 1,990.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406110A-00501 | SAILOR 6110 GMDSS System Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 30M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline Micro Termination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 1 | 6,165.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | 1 | 540.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | 1 | 430.00 |

SAILOR 6000 GMDSS A3 250W Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|------------------|
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 1 | 715.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThraneLINK enabled | 1 | 1 | 2,200.00 |
| Basic component cost | | | | 44,740.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 2 | 104.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| Additional cost | | | | 3,475.00 |

SAILOR 6000 GMDSS A3 250W Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|-------------------------------------|---|--------------------|--------------------|------------|
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |
| Miscellaneous | | | | |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |

Extended warranty

Extended warranty on the complete A3 or A4 GMDSS console is available:

- 1) Extended Period - Parts Warranty - 3% of package price
- 2) Extended Period - Parts & Labour Warranty - 5% of package price
- 3) Extended Period - Premium Coverage - 7% of package price

These are available in 12 months, 24 months or 36 months

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6000 GMDSS A3 500W mini-C/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406333D-20000 | SAILOR 6333D A3 GMDSS Console Three bay console for 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 2xSAILOR 6018 Message Terminal Mini-C/Mini-C -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | 1 | 5,150.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406350B-00500 | SAILOR 6350 MF/HF 500W DSC Class A (6 Channel watch receiver and radiotelex can be enabled) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6369 MF/HF 500W Transceiver Unit DSC Class A - SAILOR 6383 Antenna Tuning Unit 500W - SAILOR 6300 MF/HF Radio Telex Option Code incl Cable (406300-001) - Option Key for enabling D6 (6 channel watch receiver) - (406300-006) | 1 | 1 | 23,500.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406110A-00501 | SAILOR 6110 GMDSS System Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 30M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline Micro Termination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 2 | 12,330.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | 2 | 1,080.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 2 | 1,990.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | 1 | 430.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 3 | 2,145.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |

SAILOR 6000 GMDSS A3 500W mini-C/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|------------------|
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThraneLINK enabled | 1 | 1 | 2,200.00 |
| Basic component cost | | | | 60,735.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 2 | 104.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| Additional cost | | | | 3,475.00 |
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |

SAILOR 6000 GMDSS A3 500W mini-C/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------|---|--------------------|--------------------|------------|
| Miscellaneous | | | | |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |

Extended warranty

Extended warranty on the complete A3 or A4 GMDSS console is available:

- 1) Extended Period - Parts Warranty - 3% of package price
- 2) Extended Period - Parts & Labour Warranty - 5% of package price
- 3) Extended Period - Premium Coverage - 7% of package price

These are available in 12 months, 24 months or 36 months

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6000 GMDSS A3 500W Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406333A-20000 | SAILOR 6333A A3 GMDSS Console Three bay console for 1xSAILOR 6301 Control Unit, 1xSAILOR 6222 VHF (2 handsets), 2xSAILOR 6018 Message Terminal Mini-C/RadioTlx -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205 Moxa Switches, light and interconnection cables. Black/Grey | 1 | 1 | 5,150.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406350B-00500 | SAILOR 6350 MF/HF 500W DSC Class A (6 Channel watch receiver and radiotelex can be enabled) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6369 MF/HF 500W Transceiver Unit DSC Class A - SAILOR 6383 Antenna Tuning Unit 500W - SAILOR 6300 MF/HF Radio Telex Option Code incl Cable (406300-001) - Option Key for enabling D6 (6 channel watch receiver) - (406300-006) | 1 | 1 | 23,500.00 |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | 1 | 285.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | 1 | 3,995.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 2 | 1,990.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406110A-00501 | SAILOR 6110 GMDSS System Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 30M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline Micro Termination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 1 | 6,165.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | 1 | 540.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | 1 | 430.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |

SAILOR 6000 GMDSS A3 500W Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|------------------|
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 3 | 2,145.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThraneLINK enabled | 1 | 1 | 2,200.00 |
| Basic component cost | | | | 58,310.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 1 | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 405099A | Antenna Wire, 10mm ² 80x0,40 - per metre | 1 | 1 | 18.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 2 | 104.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| Additional cost | | | | 3,475.00 |

SAILOR 6000 GMDSS A3 500W Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|-------------------------------------|---|--------------------|--------------------|------------|
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |
| Miscellaneous | | | | |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |

Extended warranty

Extended warranty on the complete A3 or A4 GMDSS console is available:

- 1) Extended Period - Parts Warranty - 3% of package price
- 2) Extended Period - Parts & Labour Warranty - 5% of package price
- 3) Extended Period - Premium Coverage - 7% of package price

These are available in 12 months, 24 months or 36 months

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6000 GMDSS A4 150W Tlx/Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406334C-20000 | SAILOR 6334C A4 GMDSS Console Four bay console for 2xSAILOR 6301 Control Unit, (2 handsets), 3xSAILOR 6018 Message Terminal Radio Tlx/Radio Tlx/Mini-C -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205Moxa Switches, light and interconnection cables. Black/Grey | 1 | 1 | 5,660.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406310B-00500 | SAILOR 6310 MF/HF 150W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6365 MF/HF 150W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 2 | 15,650.00 |
| 406300-001 | SAILOR 6300 MF/HF-Radio Telex Option Code Incl Cable | 1 | 2 | 2,050.00 |
| 406300-006 | Option key for enabling D6 (6 channel watch receiver) in SAILOR 6300 MF/HF 150W/250W | 1 | 2 | 570.00 |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | 2 | 570.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | 2 | 7,990.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 3 | 2,985.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406110A-00501 | SAILOR 6110 GMDSS System Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 30M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline Micro Termination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 1 | 6,165.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | 1 | 430.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | 1 | 540.00 |

SAILOR 6000 GMDSS A4 150W Tlx/Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|------------------|
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 3 | 2,145.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThraneLINK enabled | 1 | 1 | 2,200.00 |
| Basic component cost | | | | 58,865.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 2 | 1,440.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 2 | 1,000.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 4 | 208.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| Additional cost | | | | 4,799.00 |

SAILOR 6000 GMDSS A4 150W Tlx/Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|-------------------------------------|---|--------------------|--------------------|------------|
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |
| Miscellaneous | | | | |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |

Extended warranty

Extended warranty on the complete A3 or A4 GMDSS console is available:

- 1) Extended Period - Parts Warranty - 3% of package price
- 2) Extended Period - Parts & Labour Warranty - 5% of package price
- 3) Extended Period - Premium Coverage - 7% of package price

These are available in 12 months, 24 months or 36 months

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6000 GMDSS A4 250W Tlx/Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406334C-20000 | SAILOR 6334C A4 GMDSS Console Four bay console for 2xSAILOR 6301 Control Unit, (2 handsets), 3xSAILOR 6018 Message Terminal Radio Tlx/Radio Tlx/Mini-C -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205Moxa Switches, light and interconnection cables. Black/Grey | 1 | 1 | 5,660.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406320B-00500 | SAILOR 6320 MF/HF 250W DSC Class A (1 channel watch receiver) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6368 MF/HF 250W Transceiver Unit DSC Class A - SAILOR 6384 Antenna Tuning Unit | 1 | 2 | 20,100.00 |
| 406300-001 | SAILOR 6300 MF/HF-Radio Telex Option Code Incl Cable | 1 | 2 | 2,050.00 |
| 406300-006 | Option key for enabling D6 (6 channel watch receiver) in SAILOR 6300 MF/HF 150W/250W | 1 | 2 | 570.00 |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | 2 | 570.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | 2 | 7,990.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 3 | 2,985.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406110A-00501 | SAILOR 6110 GMDSS System Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 30M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline Micro Termination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 1 | 6,165.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | 1 | 430.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | 1 | 540.00 |

SAILOR 6000 GMDSS A4 250W Tlx/Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|---|--------------------|--------------------|------------------|
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 3 | 2,145.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThraneLINK enabled | 1 | 1 | 2,200.00 |
| Basic component cost | | | | 63,315.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 2 | 1,440.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 2 | 1,000.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 4 | 208.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| Additional cost | | | | 4,799.00 |

SAILOR 6000 GMDSS A4 250W Tlx/Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|-------------------------------------|---|--------------------|--------------------|------------|
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |
| Miscellaneous | | | | |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |

Extended warranty

Extended warranty on the complete A3 or A4 GMDSS console is available:

- 1) Extended Period - Parts Warranty - 3% of package price
- 2) Extended Period - Parts & Labour Warranty - 5% of package price
- 3) Extended Period - Premium Coverage - 7% of package price

These are available in 12 months, 24 months or 36 months

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6000 GMDSS A4 500W Tlx/Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 406334C-20000 | SAILOR 6334C A4 GMDSS Console Four bay console for 2xSAILOR 6301 Control Unit, (2 handsets), 3xSAILOR 6018 Message Terminal Radio Tlx/Radio Tlx/Mini-C -- units to be ordered seperately. Included is: Connection boards, 2x406197A EDS-205Moxa Switches, light and interconnection cables. Black/Grey | 1 | 1 | 5,660.00 |
| 67-132077 | Service Pack number SAILOR 6000 Consoles Tested and assembled. | 1 | 1 | 0.00 |
| 406350B-00500 | SAILOR 6350 MF/HF 500W DSC Class A (6 Channel watch receiver and radiotelex can be enabled) Basic system including: - SAILOR 6301 Control Unit DSC Class A - 6m 12 POL CAN cable (CU-TU) - SAILOR 6369 MF/HF 500W Transceiver Unit DSC Class A - SAILOR 6383 Antenna Tuning Unit 500W - SAILOR 6300 MF/HF Radio Telex Option Code incl Cable (406300-001) - Option Key for enabling D6 (6 channel watch receiver) - (406300-006) | 1 | 2 | 47,000.00 |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | 2 | 570.00 |
| 406018A-00500 | SAILOR 6018 Message Terminal - 10" - For GMDSS. With Distress Button Including: - Mounting Bracket - Operating Manual | 1 | 2 | 7,990.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | 3 | 2,985.00 |
| 406222A-00500 | SAILOR 6222 VHF DSC Class A Including: -Transceiver Unit VHF DSC Class A -SAILOR 6201 Handset with cradle -U-bracket -Flush mounting kit -Power cable -ACC cable -SAILOR 6090 Power Converter, 24V DC to 12V DC -User manual | 1 | 2 | 4,230.00 |
| 406209A | SAILOR 6209 Accessory Connection Box Including 5 meter cable (406209-941) For installation of accessories and external equipment for SAILOR 6000 MF/HF | 1 | 1 | 145.00 |
| 406110A-00501 | SAILOR 6110 GMDSS System Package consisting of: - SAILOR 3027 GMDSS Terminal - SAILOR 6018 Message Terminal - SAILOR 6001 Keyboard - 30M NMEA2K Mini Device Cable (Antenna) - Mini/Micro NMEA2K Tee - Micro NMEA2K Tee - Inline Micro Termination - Male Mini NMEA2K - NMEA 0183 talker - User/installation guide | 1 | 1 | 6,165.00 |
| 406197A-00500 | SAILOR 6197 EDS-205 Moxa Switch 5 Port | 1 | 1 | 430.00 |
| 406101A-00500 | SAILOR 6101 Alarm Panel mini-C GMDSS Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | 1 | 540.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | 2 | 2,990.00 |

SAILOR 6000 GMDSS A4 500W Tlx/Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|------------------|
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | 6 | 4,290.00 |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 2 | 1,400.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 403520B | SAILOR SP3520 Portable VHF GMDSS including: - Transceiver - Belt Clip - Lanyard - Lithium battery (primary battery) Net weight of battery: 0.2 kg lithium content: 0.00588 kg - Li-ion rechargeable battery - Charger - AC/DC converter/adaptor - DC connection - Operators manual | 1 | 3 | 2,325.00 |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThraneLINK enabled | 1 | 1 | 2,200.00 |
| Basic component cost | | | | 89,740.00 |
| Subcomponent (Required for full system) | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 4 | 460.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | 2 | 1,440.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 2 | 1,000.00 |
| 405099A | Antenna Wire, 10mm2 80x0,40 - per metre | 1 | 1 | 18.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 8 | 368.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 4 | 208.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 4 | 540.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 355.00 |
| 62.044 | Navtex Antenna□ | 1 | 1 | 370.00 |
| Additional cost | | | | 4,799.00 |

SAILOR 6000 GMDSS A4 500W Tlx/Tlx/mini-C - Incl. Console

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|-------------------------------------|---|--------------------|--------------------|------------|
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| Handsets & Control Units | | | | |
| 406204A-00500 | SAILOR 6204 Control Speaker Microphone Including Cradle and 5 m cable IPx6 and IPx8. | 1 | | 615.00 |
| Miscellaneous | | | | |
| 406103A-00500 | SAILOR 6103 GMDSS Alarm Panel For connection to VHF, MF/HF and Mini-C Including: - DC Power Cable, 4 pin - U-bracket - Flush mounting kit - User manual | 1 | | 1,400.00 |

Extended warranty

Extended warranty on the complete A3 or A4 GMDSS console is available:

- 1) Extended Period - Parts Warranty - 3% of package price
- 2) Extended Period - Parts & Labour Warranty - 5% of package price
- 3) Extended Period - Premium Coverage - 7% of package price

These are available in 12 months, 24 months or 36 months

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6280 AIS System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406280A-00500 | SAILOR 6280 AIS System Including: - SAILOR 6282 AIS Class A Transponder - SAILOR 6285 GNSS Antenna - Active - SAILOR 6283 AIS Connection Box incl Wall Mount - SAILOR 6004 Control Panel - Interface for Pilot Plug - 50 pin SUB-D with cable (1m) - 5m connection cable - Power Cables - Mounting screws - Installation Guide - Test sheets | 1 | 1 | 3,075.00 |
| Basic component cost | | | | 3,075.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | 1 | 115.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 1 | 135.00 |
| 78.493 | Coax plug PL259 for RG 214/u | 1 | 1 | 46.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406282A-920 | Mast bracket 1" - 14TPI incl. mounting - For SAILOR 6285 GPS Antenna - Active | 1 | 1 | 120.00 |
| 406200-950 | COAX RG 213/214 CRIMP - Connector straight, coax TNC crimp f/RG213/214 | 1 | 3 | 108.00 |
| Additional cost | | | | 942.00 |
| Extended Warranties | | | | |
| 662077-012 | Ext. Warr. 3 year - mini-C; MT; AIS - Parts <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 265.00 |
| 662077-024 | Ext. Warr. 4 year - mini-C; MT; AIS - Parts <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 530.00 |
| 662077-036 | Ext. Warr. 5 year - mini-C; MT; AIS - Parts <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 795.00 |
| 662077-112 | Ext. Warr. 3 year - mini-C; MT; AIS - Parts&Labor <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 390.00 |
| 662077-124 | Ext. Warr. 4 year - mini-C; MT; AIS - Parts&Labor <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 780.00 |
| 662077-136 | Ext. Warr. 5 year - mini-C; MT; AIS - Parts&Labor <input type="checkbox"/> SAILOR 6120/30/40/50 mini-C; SAILOR 6006 <input type="checkbox"/> Message Terminal; SAILOR 628x AIS System <input type="checkbox"/> | 1 | | 1,170.00 |
| 662022 | Premium warranty coverage add-on, category 2 <input type="checkbox"/> SAILOR 6120/6150 mini-C; SAILOR 150/250 FB; SAILOR 628x AIS; <input type="checkbox"/> SAILOR 63xx Navtex; EXPLORER 325/727 BGAN <input type="checkbox"/> | 1 | | 195.00 |

SAILOR 6280 AIS System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------|-------------|--------------------|--------------------|------------|
|----------|-------------|--------------------|--------------------|------------|

Extended warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6391 Navtex System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406391A-00500 | SAILOR 6391 Navtex System Including: SAILOR 6390 Navtex Receiver SAILOR 6004 Control Panel - Power cable - Mounting Bracket - Mounting screws - Flush Mount kit - Installation Guide - Test sheet - ThraneLINK enabled | 1 | 1 | 2,200.00 |
| Basic component cost | | | | 2,200.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | 1 | 500.00 |
| 406300-956 | Coax plug PL259 RG213 crimp | 1 | 1 | 52.00 |
| 406300-957 | Coax cable, RG 213/U, per metre | 1 | 1 | 17.00 |
| Additional cost | | | | 964.00 |
| Accessories | | | | |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1.25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |
| 62.044 | Navtex Antenna <input type="checkbox"/> | 1 | | 370.00 |
| 62.044 | Navtex Antenna <input type="checkbox"/> | 1 | | 355.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | | 135.00 |
| Extended Warranties | | | | |
| 662022 | Premium warranty coverage add-on, category 2 <input type="checkbox"/> SAILOR 6120/6150 mini-C; SAILOR 150/250 FB; SAILOR 628x AIS; <input type="checkbox"/> SAILOR 63xx Navtex; EXPLORER 325/727 BGAN <input type="checkbox"/> | 1 | | 195.00 |

The SAILOR 6391 Navtex System can operate using both a passive or active antenna.

Suggested active antennas:


- Navcom NA35
- Procom NTA 3E-SHT
- Sirius A 159 (Our partnumber: 62.044)
- Navtex 3 (AC Marine)

Extended warranty

Please see dedicated "Extended Warranty" Price sheet for further explanation on the different warranty options

SAILOR 6560 GNSS System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406560A-00500 | SAILOR 6560 GNSS System Incl.: - SAILOR 6588 DGNS Receiver - SAILOR 6285 GPS Antenna - Active - SAILOR 6004 Control Panel - 5 m connection Cable - Power cable - Mounting screws - User Manual - Test sheet | 1 | 1 | 1,995.00 |
| Basic component cost | | | | 1,995.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| 406282A-920 | Mast bracket 1" - 14TPI incl. mounting - For SAILOR 6285 GPS Antenna - Active | 1 | 1 | 120.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406200-950 | COAX RG 213/214 CRIMP - Connector straight, coax TNC crimp f/RG213/214 | 1 | 2 | 72.00 |
| Additional cost | | | | 610.00 |



SAILOR 6561 GNSS Basic


| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|---------------|
| Main item | | | | |
| 406561A-00500 | SAILOR 6561 GNSS Basic Incl.: - SAILOR 6588 DGNSS Receiver - SAILOR 6285 GNSS Antenna - Active - 5 m Connection cable - Power cable - Mounting screws - User Manual - Test sheet | 1 | 1 | 900.00 |
| Basic component cost | | | | 900.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| 406282A-920 | Mast bracket 1" - 14TPI incl. mounting - For SAILOR 6285 GPS Antenna - Active | 1 | 1 | 120.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406200-950 | COAX RG 213/214 CRIMP - Connector straight, coax TNC crimp f/RG213/214 | 1 | 2 | 72.00 |
| Additional cost | | | | 610.00 |

SAILOR 6570 DGNSS System

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406570A-00500 | SAILOR 6570 DGNSS System Incl.: - SAILOR 6588 DGNSS Receiver - SAILOR 6286 DGNSS Antenna - Active - SAILOR 6004 Control Panel - 5 m Connection cable - Power cable - Mounting screws - User Manual - Test sheet | 1 | 1 | 2,495.00 |
| Basic component cost | | | | 2,495.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 1 | 135.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406200-950 | COAX RG 213/214 CRIMP - Connector straight, coax TNC crimp f/RG213/214 | 1 | 2 | 72.00 |
| Additional cost | | | | 625.00 |

SAILOR 6571 DGNSS Basic

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--|--|--------------------|--------------------|-----------------|
| Main item | | | | |
| 406571A-00500 | SAILOR 6571 DGNSS Basic Incl.: - SAILOR 6588 DGNSS Receiver - SAILOR 6286 DGNSS Antenna - Active - 5 m Connection cable - Power cable - Mounting screws - User Manual - TEst sheet | 1 | 1 | 1,200.00 |
| Basic component cost | | | | 1,200.00 |
| Subcomponent (Required for full system) | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | 1 | 395.00 |
| 406282A-921 | Mast bracket 1.25" - 11TPI incl. mounting | 1 | 1 | 135.00 |
| E62.415 | Coax cable RG 214/u 2 x screen, antenna cable - per metre | 1 | 1 | 23.00 |
| 406200-950 | COAX RG 213/214 CRIMP - Connector straight, coax TNC crimp f/RG213/214 | 1 | 2 | 72.00 |
| Additional cost | | | | 625.00 |



SAILOR 4065 EPIRB - Family

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|----------------------|--|--------------------|--------------------|------------|
| Main item | | | | |
| 404065A-00500 | SAILOR 4065 EPIRB - Manual Satellite 406MHz EPIRB incl. manual bracket | 1 | 1 | 530.00 |
| 404065B-00500 | SAILOR 4065 EPIRB - Automatic Satellite 406MHz EPIRB incl. automatic bracket | 1 | 1 | 820.00 |
| 404065C-00500 | SAILOR 4065 EPIRB - GNSS - Manual - Satellite 406MHz EPIRB with build in GNSS - Incl. manual bracket | 1 | 1 | 810.00 |
| 404065D-00500 | SAILOR 4065 EPIRB - GNSS - Automatic - Satellite 406MHz EPIRB with build in GNSS - Incl. automatic bracket | 1 | 1 | 1,100.00 |
| Miscellaneous | | | | |
| 404065-950 | SAILOR 4065 EPIRB Programming Pen | 1 | | 165.00 |

SAILOR 5052 AIS SART

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|------------------|---|--------------------|--------------------|------------|
| Main item | | | | |
| 405052A-00500 | SAILOR 5052 AIS SART Including: - SAILOR 5052 AIS SART unit - Extender - Yellow Robust Stowing Case (Incl 10m integral Lanyard) | 1 | 1 | 700.00 |

Antennas

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------|---|--------------------|--------------------|------------|
| Accessories | | | | |
| 403009A | VHF Antenna - CX4 - AC Marine CX4 - Frequency range: 146 - 162,5 MHz - Lengths: 1,26 meter | 1 | | 115.00 |
| 405301A | Marine Antenna HF/SSB KUM803 | 1 | | 720.00 |
| 405302A | Marine Antenna HF/SSB KUM600-2 Rx including mounting kit N70F | 1 | | 500.00 |
| 62.044 | Navtex Antenna□ | 1 | | 370.00 |
| 62.044 | Navtex Antenna□ | 1 | | 355.00 |
| 405303A | Active HF Receive Antenna KUM121 Incl: N240F: 1,25" 11TPI mounting nut with 1 1/4" thread N298F: Universal mast mount for pipe, max. dia. 46 mm / 1.8" | 1 | | 465.00 |

Keyboards & Printers

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------|--|--------------------|--------------------|------------|
| Accessories | | | | |
| 406001A-00500 | SAILOR 6001 Operator Keyboard USB connector | 1 | | 285.00 |
| 8012520006 | SAILOR H1252B/TT-3608A Parallel and USB interface printer 12/24V, blackgrey | 1 | | 995.00 |

Power Supplies, Chargers, Converters & Batteries

| Part No. | Description | Min order quantity | Item qty in System | MSRP (USD) |
|--------------------------------------|--|--------------------|--------------------|------------|
| Miscellaneous | | | | |
| 406090A-00500 | SAILOR 6090 Power Converter, 24V DC to 12V DC | 1 | | 215.00 |
| Power Supplies & Chargers | | | | |
| 80119410 | SAILOR N163S Power Supply Power supply, 110/220V AC to 24V DC, 7A, Black/Grey | 1 | | 395.00 |
| 406080A-00501 | SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 715.00 |
| 406080A-001 | Tray for wall mounting of SAILOR 6080 AC/DC Power Supply 300W/28V DC | 1 | | 120.00 |
| 406081A-00501 | SAILOR 6081 Power Supply incl. Charger and Tray for wall mounting 300W/28V DC | 1 | | 1,495.00 |